


GENERAL DESCRIPTION

- Chassis
one-piece seam welded stainless steel chassis 2 mm thick duct at the back
- Top :
AISI 430 Ti stainless steel top 3 mm thick with a 55 mm high edge and return to underside
- General :
AISI 304 side and front panels 1.2 mm thick
Bright polished stainless steel corner column 1.2 mm thick
Chrome coated dial indicator and knob



APPLIANCE DESCRIPTION

- Top :
One multi-zone induction hob
- Multi-zone induction hob :
4 rectangular coils measuring 180x360 mm and rated 3,5 kW each under a 6 mm thick leveled vitroceramic cooking plate measuring 420x810 mm
Controlled by 2 potentiometers and over heat safety
- Base :
GN 1/1 Pass through cupboard with coved sides and removable shelf runners

EXTEND
Concept



Gas Nat G20/20 :

Gas Propane G31/37 : .

CODE	DIMENSIONS	ALIMENTATION	POWER	WEIGHT
GMC 0077	525 x 1000 x 900	3-400 V + E	ELEC 14 KW	.

OPTIONS	CODE
Hinged doors for GN 1/1 pass through cupboard	GMC 0149
Pass-through GN 1/1 hot cupboar	GMC 0147
.	.
.	.
.	.
.	.
.	.
.	.

ACCESSORIES	CODE
Top extension kit	GMC 0075
Rear filler strip kit	GMC 0097
Joining kit for 2 modules	GMC 0074



Technical characteristics are indicative only and can be modified from Charvet Co. without notice.

