EXTEND CONCEPT



PASTA COOKER GN1/1

OPEN CUPBOARD GN 1/1

GENERAL DESCRIPTION

- Chassis:

. one-piece seam welded stainless steel chassis 3 mm thick duct at the back.

- Top:

. AISI 430 Ti stainless steel top 3 mm thick with a 55 mm high edge and return to underside.

- General :

- . AISI 304 side and front panels 1.2 $\,$ mm thick.
- . Bright polished stainless steel corner column 1.2 mm thick.
- . Chrome coated dial indicator and knob.



APPLIANCE DESCRIPTION

qoT

. 1 pasta cooker GN1/1.

- Pasta cooker:

- . Removable immersion heater rated power 11 kW, Energy regulation with electronic thermostat, safety thermostat and 'ON' indicator light.
- . AISI 316 stainless steel tank with draining area and drain tap, perforated double bottom.
- . Starch run off device with water font/drain tube (provide connexion to the drain) renewal of cooking water controlled by a globe valve on the front (provide water supply and wastewater drainage).

Accessories: 6 round stainless steel baskets with insulated handles.

- Open cupboard:

. Open cupboard GN 1/1, rounded corners in the lower part and removable ladders.

Natural gas flow G20/20 :
Propane gas flow G31/37:

CODE	DIMENSIONS	CAPACITY	POWER SUPPLY	POWER	WEIGHT	
GMC0229	450 x 1000 x 900 mm	-	electricity	ELEC 11 kW	- Kg	
		3-400 V + N + E				

OPTIONS	CODE
Hinged doors - for open base	GMC0149
Pass-through GN 1/1 hot cupboard - rated 1,2 kW	GMC0147
1 electric socket1~230V+E	GMC0117
2 electric sockets 1~230V +E - 1 on each face	GMC0118
Automatic lift for baskets - 1-230V+E	GMC0185
Open base - for 450 mm module only base closure	GMC0208
-	-
-	-
-	-
-	-

ACCESSORIES	CODE
Top extension kit - for a central cooking suite	GMC0075
Rear filler strip kit - for module installed against a wall	GMC0097
Joining kit for 2 modules - module assembly	GMC0074











