

TILTING GRID OVER WATER TANK

OPEN CUPBOARD GN 1/1

GENERAL DESCRIPTION

- Chassis :

. One-piece seam welded stainless steel chassis 3 mm thick duct at the back.

- Top :

. AISI 430 Ti stainless steel top 3 mm thick with a 55 mm high edge and return to underside.

- General :

. AISI 304 side and front panels 1.2 mm thick.
 . Bright polished stainless steel corner column 1.2 mm thick.
 . Chrome coated dial indicator and knob.



APPLIANCE DESCRIPTION

- Top :

. 1 tilting grid over water tank.

- Barbecue over water tank :

. Cast-iron griddle plate measuring 350 x 550 mm with slots to allow grease to fall into water bath below.
 . Rated 6 kW. Grid/elements assembly on hinges for easy cleaning.
 . Regulation with energy regulator.
 . Water control tap to front waste connection in cupboard base (requires connection to the drainage system).
 . Overheat security.

- Open cupboard :

. Open cupboard GN 1/1, rounded corners in the lower part and removable ladders.



Natural gas flow
G20/20 :

Propane gas flow
G31/37 :

CODE	DIMENSIONS	CAPACITY	POWER SUPPLY	POWER	WEIGHT
GMC0238	450 x 1000 x 900 mm	-	electricity 3-400 V + N + E	ELEC 6 kW	- Kg

OPTIONS	CODE
Open base - for 450 mm module only base closure	GMC02208
Pass-through GN 1/1 hot cupboard - rated 1,2 kW	N.A
1 electric socket 1~230V + E	GMC0117
2 electric sockets 1~230V + E - 1 on each face	GMC0118
Hinged doors - for open base	GMC0149
-	-
-	-
-	-
-	-
-	-

ACCESSORIES	CODE
Top extension kit - for central cooking suite	GMC0075
Rear filler strip kit - for module installed against a wall	GMC0097
Joining kit for 2 modules - module assembly	GMC0074



Technical characteristics are indicative only and can be modified from Charvet Co. without notice.

