

INDUCTION MULTIZONES

OPEN CUPBOARD GN 1/1

GENERAL DESCRIPTION

- Chassis :


. One-piece seam welded stainless steel chassis 3 mm thick duct at the back.

- Top :

. AISI 430 Ti stainless steel top 3 mm thick with a 55 mm high edge and return to underside.

- General :

. AISI 304 side and front panels 1.2 mm thick.
 . Bright polished stainless steel corner column 1.2 mm thick.
 . Chrome coated dial indicator and knob.



APPLIANCE DESCRIPTION

- Top :

. Multizone induction hobs.

- Multizone induction hobs :

. 4 heating zones measuring 150 x 290 mm each, rated 3.5 kW each, 1 control for 2 heating zones. . Silkscreen ceramic plate measuring 420 x 810 mm, 6-mm thick, and lined-up with the top. . Potentiometer control switch and safety thermostat - removable ventilated generator.

- Open cupboard :

. Open cupboard GN 1/1, rounded corners in the lower part and removable ladders.



Natural gas flow
G20/20 :

Propane gas flow
G31/37 :

| CODE | DIMENSIONS | CAPACITY | POWER SUPPLY | POWER | WEIGHT |
|----------------|---------------------|----------|--------------------------------|------------|--------|
| GMC0241 | 450 x 1000 x 900 mm | - | electricity 3-400 V + N + E | ELEC 14 kW | - |

| OPTIONS | CODE |
|---|---------|
| Hinged doors - for pass-through GN 2/1 cupboard | GMC0149 |
| Pass-through GN 1/1 hot cupboard | N.A |
| - | - |
| - | - |
| - | - |
| - | - |
| - | - |
| - | - |
| - | - |
| - | - |

| ACCESSORIES | CODE |
|---|---------|
| Top extension kit - for a central cooking suite | GMC0075 |
| Rear filler strip kit - for module installed against a wall | GMC0097 |
| Joining kit for 2 modules - module assembly | GMC0074 |



Technical characteristics are indicative only and can be modified from Charvet Co. without notice.

