

GENERAL DESCRIPTION

- Top :
AISI 304 stainless steel top 2 mm thick with a 55 mm high edge having 18 mm radius and return to under-side

- Chassis :
one-piece seam welded stainless steel chassis 2 mm thick duct at the back

- General :
AISI 304 side and front panels 1.2 mm thick
Enamel control panel
Chrome coated aluminium knob



APPLIANCE DESCRIPTION

Dimensions (mm) : W 400 x D 700 x H 280

- Top :
. One set of 2 radiant hobs 2x2.1 kW (∅ 210 mm) under a 6 mm thick vitroceramic cooking plate measuring 330x520 mm.
2x4 position switches to front, safety thermostat to each plate. Element function indicator lights.

- Bridge unit

- Electrical rating : 4.2 kW 1/230+E

Natural gas flow
G20/20 :

-

Propane gas flow
G31/37 :

-

















REFERENCE : 40-R-E2RAY

CODE	DIMENSIONS	ALIMENTATION	PUISSANCE	POIDS
V07037	400 X 700 X 280 mm	1-230V+E	4.7 kW	-

OPTIONS	CODE
Base unit 400 open	V07053
	V07054
Base unit + drawers (Requires drain tap to front)	V07074
Hinged door	V07061
Electric hot cupboard in base 4 x GN1/1 (1-230V+E) - 0.75kW	V07063
-	-
-	-
-	-
-	-

ACCESSOIRES	CODE
S/S clip on plinth panels	V07082
-	-
-	-



 <p>Connexion gaz Gas connection Gasanschluss Conexión gas</p>	 <p>Connexion électrique Electric connection Elektrische Verbindung Conexión eléctrica</p>	 <p>Options Options Auftrage Opciones</p>	 <p>Connexion eau froide Cold water connection Kaltwasseranschluss Conexión agua fría</p>	 <p>Connexion eau chaude Hot water connection Warmwasseranschluss Conexión agua caliente</p>	 <p>Connexion eau adoucie ≤ 3bars-t.h...7°F Softened water connection ≤ 3bars-7°F Wasserlauf (gefiltertes wasser ≤ bars-ab-7°GH) Conexión agua blanda ≤ 3 bars-t.h...7°F</p>	 <p>Ecoulement eaux usées sewage outflow wasserlauf desagüe</p>
 						
 						
     <p>3~400V + PE Ø 1.50mm²</p> <p>V07037 PRO700-40 E2-RAD</p>						